

Instructions for use HUMIN PLUS for Courgettes



For processing zucchini recommend the following procedure:

- One day (or more) before planting seeds soak in a solution of HUMIN PLUS (concentration 1:50 - 100 ml of water, 2 ml HUMIN PLUS) for at least 1 minute. Then to facilitate sowing the seeds dry at room temperature.
- When planting seeds using soil mix moisten with HUMIN PLUS (concentration 1:500 - 1 liter of water 2 ml HUMIN PLUS). When planting seeds in open ground water the spot at which the seeds are planted with a solution of HUMIN PLUS (concentration 1:500 - 1 liter of water 2 ml HUMIN PLUS).
- After the appearance of 3 to 5 leaf shoots spray solution HUMIN PLUS (1:1000 concentration - 1 liter of water 1 ml HUMIN PLUS). After transplanting in open ground water the plants with HUMIN PLUS (concentration 1: 500 - 1 liter of water 2 ml HUMIN PLUS).
- Subsequent treatment of zucchini bushes recommended no more than once every 10 to 14 days, alternating watering with a solution of HUMIN PLUS (concentration 1:500 - 1 liter of water 2 ml HUMIN PLUS) and treatment of vegetation (leaves) with HUMIN PLUS (concentration 1:1000 - 1 liter of water 1 ml HUMIN PLUS).
- If using crop protection products - To reduce stress in plants, we recommend treating with HUMIN PLUS (1:1000 concentration - 1 liter of solution 1 ml HUMIN PLUS).